

SanMar Glossary of Terms

January 2026

1x1 Rib Knit. This narrow rib has a soft, fine hand and retains its slim fit.

2x1 Rib Knit. Textured rib knit with a comfortable stretch—made to be worn alone or layered.

2-Way Zipper. A zipper with two zipper pulls so the garment can be unzipped from either direction.

3-End Fleece. A unique fleece fabrication that weaves together 3 threads for enhanced loft and decorating quality.

3-in-1 Jacket. A jacket that consists of two jacket layers that zip together. You can wear either jacket layer separately, or zip them together for extra warmth and weather protection.

39THIRTY® Fit (New Era). Features a casual look with stretch-to-fit styling, a contoured crown and precurved visor. Structured for stability with a classic cap shape.

4-Needle Stitching. A finish commonly used on a sleeve or bottom hem that uses four needles to create parallel rows of visible stitching, giving the garment a cleaner, more finished look, as well as adding durability.

4-Way Stretch. A fabric that stretches both on the crosswise and lengthwise grains of the fabric. Also called mechanical stretch, except mechanical stretch doesn't use spandex or other stretch yarns.

9FIFTY® Fit (New Era). Features a classic, throwback look with a flat visor that can curve with a full crown. Includes a structured front panel for stability and an open back with snapback closure.

9FORTY® Fit (New Era). Features a collegiate look with an adjustable closure, a contoured crown and precurved visor. Structured for stability with a classic cap shape.

9SEVENTY® Fit (New Era). Merges the crown of a 9FIFTY® with the contour of a 9FORTY for a one-of-a-kind fit.

9TWENTY® Fit. (New Era). Features a vintage look with an adjustable closure a contoured crown and precurved visor.

Air Jet Yarn. A type of open-end spinning that uses a stationary tube in which jets of air are directed to cause fibers to twist thereby forming a yarn. This process definitely influences the soft hand feel of the fabric while maintaining excellent resistance to pilling.

Airlume Combed and Ring Spun Cotton (BELLA+CANVAS). 100% Airlume combed and ring spun cotton, 32 singles. BELLA+CANVAS removes 2.5x more impurities than standard ring spun cotton and uses only long cotton staples, which means there are fewer stray fibers when the yarn is spun, resulting in a smoother print surface.

All-Weather Microfiber. Fabric that is tightly woven from an extremely fine poly thread with a sueded finish for a luxuriously supple feel. When combined with waterproof coating and full seam sealing, microfiber is 100% waterproof. 100% polyester.

ANSI. The American National Standards Institute (ANSI) is an organization that promotes standards for industry and government.

ANSI Class 2. An ANSI designation for garments that are intended for activities where greater visibility is necessary during inclement weather. It also covers workers who perform tasks that divert their attention from approaching traffic or puts them in close proximity to vehicles traveling 25 mph or higher.

ANSI Class 3. An ANSI designation for garments that provide the highest level of visibility and are intended for workers who face more serious hazards than Class 2.

ANSI Class E. An ANSI designation for garments like pants, shorts or overalls that, when paired with a Class 2 or Class 3 vest, achieve a combined Class 3 level of visibility. Class E apparel itself doesn't meet the requirements of a standalone Class 3 garment.

Antimicrobial. A term used for a garment that is able to resist, either naturally or chemically, the effects of microbial secretions put off by the human body, resisting odor and increasing garment life.

Anti-Pill Finish. A treatment applied to garments primarily to resist the formation of little balls on the fabric's surface due to abrasion during wear. See Pilling.

Arc Rating. A value of the energy necessary to pass through any given fabric to cause with 50% probability a second- or third-degree burn. This value is measured in calories/cm². Simply put, the Arc rating determines the protective characteristics of the fabric. The higher the Arc rating value, the greater the protection.

Articulation. A design detail usually in the shoulders, elbows or knees where limbs bend to increase mobility for greater ease of movement.

ATPV. Stands for Arc Thermal Protective Value: a rating of the Arc burn protection capability of a garment. The higher the Arc rating, the more protection a garment gives because it has a higher resistance to catching on fire. The ATPV is expressed in calories/cm² and represents the thermal exposure from an electric arc that will create a second-degree burn in human tissue.

Athleisure. The movement where clothing designed for athletics is worn outside the gym to the office or to socialize.

Baby Pique Knit. A knitting method that creates a fine, small textured surface that appears similar to a very small waffle weave. See Pique Knit.

Back Yoke. A piece of fabric that connects the back of a garment to the shoulders. This allows the garment to lay flat and drape nicely.

Bartack. To reinforce a seam with a bar of stitches, providing a more durable seam end. Commonly used at stress points.

Base Layer. Worn next to the skin, a base layer wicks sweat and keeps the wearer drier and more comfortable.

Beach Wash®. Garment-dyed cotton styles that have a worn-in, vintage look.

Bias Cut. A technique used by designers for cutting clothing to utilize the greater stretch in the “bias” or diagonal direction of the fabric, thereby causing it to accentuate body lines and curves and drape softly.

Blanket Stitch. A decorative stitch often used to finish an unhemmed blanket. The stitch can be seen on both sides of the blanket.

Blend. A yarn or a fabric that is made up of more than one type of fiber.

Blouson Sleeve. A voluminous, flowy sleeve that gathers at the cuff, creating a “blousing” or billowing effect.

Bonded Fleece. Multiple layers of fleece are bonded together to form a higher functioning garment.

Bonding. The technique of permanently joining together two fabrics or layers of fabrics together by a bonding agent into one unit.

Box Pleat. A single, uniform fold in the center back of a garment to allow for more room and comfort.

Breathability. The movement of air from one side of the fabric to the other to keep the wearer comfortable. The breathability rating is typically expressed in a gram measurement of how much vapor a square meter (G/M^2) of fabric will allow to pass in a 24-hour period (typically, $1,000G/M^2$ to $10,000,000G/M^2$). Generally, the higher the number, the more breathable the garment.

Brushed. A finishing process for knit or woven fabrics in which brushes or other abrading devices are used to raise a nap on fabrics or create a novelty surface texture.

Buckram. A stiffer material, fused behind a cap's front panels, provides structure and shape, creating a crisp appearance and ensuring the cap retains its form over time.

Button-Down Collar. Found on many men's dress wovens, where the collar's wings can be buttoned to the front of the shirt, minimizing the spread between the wings.

Button-Through Sleeve Placket. A small placket located near the end of the sleeve, by the cuff, which contains a single button closure.

C-FREE®. We start by reducing the product's impact by switching to at least 50% preferred materials. We then measure and reduce the total carbon footprint of each product in the C-FREE program—from cradle-to-grave—through the ClimeCo Certified Product™ Program. This certification purchases third-party, verified carbon offsets through ClimeCo.

CamoHex (Sport-Tek). A sublimated digital camouflage that uses small hexagons in a tonal pattern.

Carbon Credit. Credits are generated when a project is verified and registered; they are then retired on behalf of the product or company.

Carbon Footprint. The net amount of product cradle-to-grave lifecycle greenhouse gas emissions.

Carbon Offset. A verifiable reduction in carbon emissions somewhere in the world other than where the emission is generated.

Carded Ring Spun Cotton. Carded yarns have not been combed. They contain a wider range of fiber lengths and, as a result, are not as uniform or as strong as combed yarns.

Carhartt Force® (Carhartt). Gear that combines over 130 years of hands-on experience with the mightiest heat-defying tech in a shirt. Features FastDry® sweat-wicking technology, plus odor-fighting abilities.

Casual Microfiber. Tightly woven fabric from a very fine polyester thread, usually with a sueded finish for a soft feel. Inherently water repellent and wind resistant due to its construction. 100% polyester microfiber.

Category 2 Protection (Bulwark). Arc-rated flame-resistant (FR) long sleeve shirt and FR pants or FR coverall with a required minimum ATPV (Arc Thermal Protective Value) of 8 cal/cm².

Chambray. A plain woven fabric that can be made from silk or manufactured fibers, but is most commonly cotton. It incorporates a colored warp and white filling yarns.

Chin guard. A fold of soft fabric around the end of the zipper that helps prevent abrasion. Also known as a zipper garage.

Coil (OGIO). A metallic colored coil zipper.

Collar. The upright or turned-over neckband of a coat, jacket or shirt.

Collar Stand. On a woven shirt, the collar stand is around the neck and placed between the actual collar and the shirt. This stand raises the collar so its finished edge will fall smoothly back over the neck edge.

Collar Stays. Commonly referred to as 'collar tabs' or 'collar stiffeners' collar stays are flat, rigid pieces of plastic or metal, which are inserted in designated pockets on the underside of dress shirt collars. The purpose of a collar stay is to give the collar enough weight and crispness, so as to keep the shirt collar in place. Collar stays give shirt collars just the right amount of weight, so that it lays flat against the collar bone.

Collective System (Port Authority). A versatile system of outerwear styles that can be customized to meet a variety of climates and uniforming needs.

Colorfast. A dyed fabric's ability to resist fading due to washing, exposure to sunlight and other environmental conditions.

Combed Ring Spun Cotton. A process by which the short fibers of a yarn are removed and the remaining longer fibers are arranged in parallel order for a high-quality yarn with excellent strength, fineness and uniformity.

Comfort Stretch Sweatband (Richardson). A stretch-fit sweatband that incorporates stretch fibers to simplify sizing and provide the wearer with a comfortable fit all day, every day.

Cord Locks. A stopper or toggle on a drawcord that keeps the cord from retracting into the garment.

Corduroy. A cut filling pile cloth with narrow to wide ribs. Usually made of cotton, but can be found in polyester and other synthetic blends.

Cotton. Soft vegetable fiber obtained from the seedpod of the cotton plant.

Cotton Count. A measure of thread density. It is the amount of thread measured in "hanks" (840 yards) needed to create one pound. With this system, the higher the number, the finer the yarn. In the United States, a cotton count between one and 20 is referred to as course counts. A regular single knit t-shirt can be between 15-18 count and a fashion tee is usually in the 30-40 count range.

Coverseamed. A finish in which two needles are used to create parallel rows of visible stitching. It is used around the neck, armholes, waistband and wrists of garments to create a cleaner, more durable finish.

Cradle-To-Grave. This encompasses the entire product lifecycle. From the extraction of raw materials, processing, manufacturing and fabrication of the product to the transportation or distribution of the product to the consumer, to the use of the product by the consumer, and finally, the disposal or recovery of the product after its useful life.

Critically Seam-Sealed. Select (or critical) seams are taped with waterproof tape. This helps prevent moisture from getting in through the seams where it is most likely to occur—such as the shoulders, armholes or hood.

Cuff. The part of the sleeve encircling the wrist. Also the turned-back hem of a trouser leg.

CVC (Chief Value Cotton). In a cotton/polyester blended yarn, the amount of cotton fiber makes up over 50% of the blend. CVC shirts are often an attractive lower-priced option to traditional cotton/polyester/modal tri-blend shirts.

Deboss. To depress below the surrounding fabric surface for decoration or lettering. Often confused with embossing which is to raise in relief from a surface.

Denier. A system of measuring the weight of a continuous filament fiber. The lower the number, the finer the fiber; the higher the number, the heavier the fiber.

Diamond Era (New Era). Inspired by the iconic fabric used in their famous baseball caps, this textured fabric wicks moisture and resists snags.

Differential Rise. In pants, the difference between the front and back rise measurements, or a pattern where the front and back rise are intentionally designed to be different. The “rise” itself is the distance from the crotch seam to the top of the waistband. A differential rise is often built into a garment to account for a person’s anatomy, such as a higher back rise to accommodate the buttocks or a higher front rise to prevent pulling.

District Wash™. (District). Garment-dyed tees and fleece that feature sun-drenched color and the softest of fabrics.

Dobby. A decorative weave, usually geometric, that is woven into the fabric. Standard dobby fabrics are usually flat and relatively fine or sheer.

Dolman Sleeve. A sleeve tapered from a very large armhole to fit closely at the wrist. Usually cut in one piece with the body of the garment.

Double Knit. A circular knit fabric knitted via double stitch on a double needle frame to provide a double thickness.

Double-Needle Stitching. A finish commonly used on a sleeve or bottom hem that uses two needles to create parallel rows of visible stitching, giving the garment a cleaner, more finished look, as well as adding durability.

Down. The soft, fluffy under feathers of ducks and geese. Serves as an excellent outerwear thermal insulator.

Dri-FIT (NIKE). Fabric that helps keep the wearer comfortable and dry by moving perspiration from the skin, through the layers of fabric, to the outside layer for rapid evaporation across the outer surface area.

Dri-Mesh® Polyester. The double layer mesh construction releases heat and sweat, while maintaining breathability. 100% polyester double mesh.

Drop Needle. A knit fabric characterized by vertical lines within the cloth. Manufactured by dropping a needle from the knitting cylinder.

Drop Tail. A longer back than front for the purpose of keeping the shirt tucked in. Also referred to as Extended Tail.

DryVent™ (The North Face). Styles that are engineered to be fully waterproof, windproof and breathable.

Dry Zone® Technology. A double-layer polyester fabrication that wicks moisture away from the body.

Duck Cloth. Tightly woven, plain-weave, bottom-weight fabric with a hard, durable finish that provides wind and snag resistance.

DWR. Durable water repellent. A DWR treatment involves applying a coating to a jacket's outermost fibers to prevent precipitation from saturating the jacket's exterior.

Dyed-To-Match. A term which characterizes buttons or trims that are the same color as the garment onto which they are sewn.

E-H

Easy Care. In general, woven shirts with a 60/40 cotton/polyester blend that perform with attributes like wrinkle resistance or stain release.

End-On-End (Mercer+Mettle). This classic plain weave cloth has a heathered look that's created by the alteration of light and dark threads.

Enzyme Washed. A laundering process in which a catalytic substance is added to create a chemical change in the fabric resulting in a very soft finish, smoother appearing surface and reduced shrinkage.

Epaulet. An ornamental fabric strip or loop sewn across the shoulder of a shirt, dress or coat.

Ergonomic. Design elements incorporated into a garment to improve the design by enhancing the wearer's comfort, performance or health.

EXCEL FR® ComforTouch® (Bulwark). This practical 88/12 cotton/nylon blend provides long-lasting protection for nearly all work environments. Applications include ferrous metals, electrical utilities and the chemical, oil, gas and petrochemical industries. Every EXCEL FR ComforTouch garment is engineered to provide flame resistance for the life of the garment.

Extended Tail. A longer back than front for the purpose of keeping the shirt tucked in. Also referred to as Drop Tail.

Eyelets. Small holes or perforations made in a series to allow for breathability. Finished with either stitching or brass grommets.

EZCotton®. Soft, smooth and durable 100% cotton pique that resists shrinking, wrinkling, pilling and fading.

Fabric Face. Example: 100% cotton face. The face of fabric, also known as the right side, is the side of a fabric that is meant to be seen. The face is what you see on the outside of the garment when it is finished; the other side, the wrong side, is hidden.

FastDry® (Carhartt). Carhartt's technology that wicks away sweat away from the body for instant evaporation.

Faux Shearling. Made from polyester, acrylic or cotton, faux shearling mimics the nubby, fuzzy texture of real shearling which is derived from sheepskin. Also referred to inaccurately as "sherpa".

Featherweight French Terry™ (District). Vintage-inspired styles made of 70/30 combed ring spun cotton/poly French terry, 40 singles.

Fill Power. The measure of the loft or “fluffiness” of a down garment that is loosely related to the insulating value of the down. The higher the fill power, the more trapped air an ounce of the down can trap, and thus the more insulating ability an ounce of the down will have.

Firm Duck (Carhartt). Carhartt’s strongest cotton duck. The most durable canvas out there. Built with added toughness, firm duck is water-repellent, wind-resistant and rugged. If you want to break in your jacket and pants, firm duck is for you.

Flame-Resistant (FR). These fabrics and garments are intended to resist ignition, prevent the spread of flames away from the immediate area of high heat impingement and to self-extinguish almost immediately upon removal of an ignition source. FR clothing is NOT fireproof.

Flat Back Mesh (Sport-Tek RacerMesh). A double-ply polyester knit fabric consisting of an open-hole mesh layer with a polyester layer behind to make it “flat back”. You get the breathability of mesh without showing any skin.

Flat Collar/Cuffs. A single ply fabric with a finished edge that is used for collars and cuffs on sport shirts and short sleeve garments. Also known as welt.

Flatlock Stitching. Made by bringing two raw fabric edges together and covering them with machine stitching. Often used in activewear.

Flexfit®. The original stretchable hat featuring Flexfit stretchable sweatband technology.

FlexVent Suspension System (The North Face). Backpacks with custom injection-molded shoulder straps and a padded mesh back panel with a spine channel for maximum support and ventilation.

French Cuff. A shirt cuff that is folded back before fastening, creating a double-layered cuff.

French Placket. A button-front shirt without a separate pieced placket. The fabric is simply folded over and the buttonhole stitching secures the two layers. This method affords a very clean finish.

French Terry Cotton. The knit jersey version of terry cloth. It features loops of pile on one side and a smooth, brushed finish on the other for softness and a lived-in, vintage look.

Full Cut. Refers to a garment’s fit as being generous and roomy.

Fully Fashioned. A garment that’s knitted to fit the shape of the body.

Fully Seam-Sealed. Every seam throughout the jacket is sealed with waterproof tape to help prevent water from leaking in.

Garment-Dyed. A dyeing process that occurs after the garment has been cut, sewn and assembled.

Garment Washed. A wash process where softeners are added to finished garments to help the cotton fibers relax. The result is a fabric with a thicker appearance, reduced shrinkage and a softer hand.

Gingham. Cotton cloth that has a pattern of colored squares on a white surface.

Grosgrain. A firm, closely woven fabric with narrow horizontal stripes. Commonly used for ribbons, neckties and trimmings.

GSM. Stands for grams per square meter and is a unit of measurement that indicates the weight and thickness of a fabric. A higher GSM number signifies a heavier, thicker and more durable fabric, while a lower GSM suggests a lighter, more pliable and breathable fabric.

Hand. Quality or characteristic of fabrics perceived by sense of touch—softness, firmness or drapeability.

Heatseeker (The North Face). Synthetic insulation that provides additional warmth.

Heather CVC (BELLA+CANVAS). 52/48 Airlume combed and ring spun cotton/poly, 32 singles. Chief Value Cotton (CVC) refers to a cotton and polyester blend with a heavier percentage of cotton. The polyester blend gives a subtle, textured look to a lightweight tee with a supersoft hand.

Heritage Blend (New Era). A 60/40 ring spun combed cotton/poly blend that creates an unbelievably soft tee with the comfort of a past era.

Herringbone. A chevron or zig-zag pattern knit into fabric. Commonly used in golf shirts and twill shirts.

Hi Pro (Richardson). The Hi Pro profile is Richardson's nod to classic baseball crown shapes. It features a deeper all-around fit with tall front panels.

High Profile. A term used for a cap or hat silhouette that is less fitted to the head with a high slope. Usually structured with buckram or other stiff fabric lining.

Hook and Loop. A fastener closure system. The rough side is called the hook. Its softer mate is called loop. The hooks engage into the loop and provide the closure. Colloquially known as VELCRO®.

Horn Tone Buttons. Buttons that appear to be manufactured from horn.

Houndstooth. A medium-sized broken check effect that is knit into the fabric.

I-M

IL50 (Industrial Laundry). Signifies that a garment has been tested through 50 industrial launderer washes.

Insulated Jacket. A jacket designed to hold body heat close and buffer surrounding cold air. Down, fleece and synthetic fibers are common insulators. Insulation levels help determine warmth ratings.

Interlock Knit. A two-ply fabric knit simultaneously to form one thicker and heavier ply. It has more natural stretch than a jersey knit, a soft hand, and the same appearance and feel on both sides. Commonly used in knit shirts and turtlenecks.

Jacquard Knit. Often an intricate pattern knit directly into the fabric during the manufacturing process. Typically, two or more colors are used.

Jersey Knit. The consistent interloping of yarns in the jersey stitch to produce a fabric with a smooth, flat face and a more textured, but uniform back.

Jock Tag (New Era). A rectangular piece of woven fabric located at the hem of athletic jerseys.

Johnny Collar. A small round or pointed dress shirt collar that has a split front and fits close to the neck.

Kissing Welt. A welt is a strip of fabric that is sewn into a seam to add strength and durability. Kissing welts are two welts that come together without overlapping and appear to be touching.

Lap Shoulders (Rabbit Skins). A detail in infant tees and bodysuits in which the fabric overlaps at the neckline and shoulders for easier changing.

Linen. A fabric made from linen fibers obtained from inside the woody stem of the flax plant. Linen fibers are much stronger and more lustrous than cotton. Linen fabrics are very cool and absorbent, but wrinkle easily, unless blended with manufactured fibers.

Locker Loop. A looped piece of fabric in the neck of a garment for the convenience of hanging the garment on a hook. Can also be located at the center of the back yoke on the inside or outside of a garment.

Locker Patch. A semi-oval panel sewn into the inside back portion of a garment, just under the collar seam to reinforce the garment and minimize stretching when hung on a hook. The patch also allows for the garment tag or label to be sewn below the neckline to help prevent irritation.

Low Impact Technology (L.I.T.™) (Eddie Bauer). A dyeing technology that uses significantly less dyestuffs, thermal energy and water yet achieves the same results as conventional dyeing methods. L.I.T. enhances softness, performance and after-care quality.

Low Pro (Richardson). The Low Pro profile is Richardson's lower profile structured crown shape. It features buckram-lined front panels and a more tailored fit.

Low Profile. A term used for a cap or hat silhouette that is more closely fitted to the head. Can be either structured or unstructured.

Marble (BELLA+CANVAS). 91/9 poly/Airlume combed and ring spun cotton, 32 singles. This fabric has great dimension and is awesome for graphic tees. It has a really soft hand and cool texture.

Marled. Refers to a type of novelty yarn that is created by twisting multiple plies, or strands, of different colors into a single yarn. Marled yarns are mostly used for knitted apparel but can also be found in woven textiles to create visual irregularity and a dynamic surface of moving color.

Merino Wool (Brooks Brothers). Merino wool is a natural fiber grown by Merino sheep. It's thinner and softer than regular wool—making it easy to wear next to skin. Merino wool helps naturally regulate body temperature, transport sweat away as a vapor and fight odors.

Melange. A mix of different colors of yarns knit together to create a heathered effect.

Mesh. A type of fabric characterized by its net-like open appearance and the spaces between the yarns. Mesh is available in a variety of constructions, including wovens, knits, laces or crocheted fabrics.

Microfiber. Tightly woven fabric from a very fine polyester thread, usually with a sueded finish for a soft feel. Inherently water repellent and wind resistant due to its construction.

Microfleece. Crafted from ultra-fine yarn, this lightweight, high-density fleece is brushed less than a regular fleece garment for softness and warmth without bulk.

Micro Pique Knit (Also Micropique). Fabric with a tighter knit construction than traditional pique which means the holes are smaller. This construction adds features such as snag resistance to the garment. Usually made of polyester fibers, the fabric is also highly resistant to fading and shrinking.

Mid-Layer. Worn over the base layer, this layer traps warm air, breathes and helps maintain body heat.

Mid Pro (Richardson). The Mid Pro profile is Richardson's most-popular structured profile. It is found across their line, from performance baseball to the iconic 112. Over 50 years of cap-making experience has perfected this shape—not too high, not too low, just right.

Mid Profile. A term used for a cap or hat silhouette that is in between that of a High Profile and Low Profile. Most often structured with buckram.

Modal. Modal fabric is a semi-synthetic fabric made from beech tree pulp. Modal is a form of rayon, another plant-based textile, though it is slightly more durable and flexible than the standard version. Modal is often blended with other fibers like cotton and spandex for added strength. There are several benefits to using and wearing modal such as stretch, softness, breathability, water absorbency and durability. Modal is considered a luxurious textile thanks to both its soft feel and high cost, as it is more expensive than either cotton or viscose.

Modern Stretch Cotton. A breathable fabric made from a blend of cotton and spandex to provide a flattering stretch. 96% cotton. 4% spandex.

Moisture-Wicking. Fabrics that keep sweat under control. Moisture-wicking fabrics like polyester have fibers that keep the sweat on the surface, acting like channels to transport the moisture to the outer layer of the garment, where it evaporates.

N-R

Nailhead. A jacquard woven pattern in which the jacquard forms a design similar to small nail heads.

Nap. A fuzzy, fur-like feel created when fiber ends extend from the basic fabric structure to the fabric surface. The fabric can be napped on one or both sides.

Neckband. A strip of fabric sewn around the inside of the neck in a woven shirt.

NFPA® 2112 Compliant (Bulwark). Bulwark Protective Apparel offers flame-resistant protective garments that are certified by Underwriters Laboratories to meet the requirements of NFPA 2112 Standard on Flame-Resistant Garments for Protection of Industrial Personnel Against Flash Fire, 2012 Edition. NFPA 2113 Standard on Selection, Care, Use and Maintenance of Flame-Resistant Garments for Protection of Industrial Personnel Against Flash Fire, 2018 Edition, requires that garments cover the upper and lower body and flammable underlayers as completely as possible. Bulwark garments meet this requirement either as a single garment such as a coverall or when worn with another certified garment such as a shirt or pants to provide both upper and lower body coverage.

No Fly Zone® (Port Authority). This insect repellent technology helps convert apparel and hats into long-lasting, effective and convenient mosquito and tick protection. It works as a contact repellent affecting the insect's nervous system causing them to fly or crawl away before a bite can occur.

Non-Iron. A term characterizing fabric that has been chemically treated to resist wrinkles, eliminating the need for ironing.

Nublend® Fleece (JERZEES®). A combined knitting and spinning process developed by JERZEES for the prevention of pilling.

Nylon. A synthetic fiber with high strength and abrasion resistance, low absorbency and good elasticity.

Odor-Resistant. Anti-odor technology captures and blocks or kills odor-causing bacteria that comes from the body. It neutralizes the bacteria before it interacts with sweat, reducing the amount of body odor. When bacteria can't mix with the moisture from sweat, odors vanish.

Open-End Cotton. Open end (OE) spinning is a technology to make yarns without a spindle. OE yarns have less twist but a more uniform, abrasion-resistant surface and are produced at much faster speeds than other spinning technologies. Fabrics made from OE yarns generally have a cleaner appearance but are less soft than garments made with ring spun yarns.

Ottoman. A tightly woven, horizontal raised rib textured knit.

Outer Layer. Worn over the base and mid-layers, this layer resists water and wind and has comfortable stretch for mobility.

Overdyed. A process in which yarn-dyed fabrics or piece-dyed garments are put through an additional dye color to create unique colors.

Oxford. A fine, lightweight woven cotton or cotton blend fabric with a 2x1 basket weave variation. Typically used for dress shirts.

Patch Pocket. A pocket attached to the outside of a garment.

Peached. A soft hand usually obtained by brushing or sanding the fabric lightly. Can be achieved with chemical or laundry abrasion to give the surface a velvet-like appearance and softness.

Peak Lapel. Traditionally the most formal of blazer lapels, it's defined by edges pointing upwards to the wearer's shoulders.

Pearlized Buttons. Buttons that have a pearl-colored hue.

Perfect Blend® CVC (District). A rich 60/40 blend of combed ring spun cotton and poly, plus a finer yarn count makes Perfect Blend CVC tees the only perfect choice.

Perfect Tri® (District). 50/25/25 poly/ring spun combed cotton/rayon. The undeniably perfect combination of exceptional softness and laid-back style.

Perfect Weight® Cotton (District). This extra-fine gauge 32 singles 100% ring spun combed cotton yarn is known for its lightweight softness. It's then compacted to 4.3 ounces for long-term durability and shrink resistance. The result is garments that look and feel perfect wear after wear.

Performance Fabrics. Generally, 100% polyester fabric with technology that wicks moisture, resists snags, stains or odors. It "performs" in some way.

Pewter Buttons. Buttons that have a dull, metallic hue.

Picot. A series of small embroidered loops forming an ornamental edging on some ribbon and lace.

Pewter and Horn Tone Buttons. Buttons that incorporate pewter and horn tone. Usually one encompasses the other.

Piece Dyed. A dyeing process that occurs when the fabric is in yardage form after it has been knitted or woven, but before the garment is assembled.

Pigment-Dyed. A type of dye process using ground pigment. The pigments are insoluble, so they are locked into the fabric with a silicon wash. The irregular absorption and saturation of pigment creates a distressed or washed look. This method coats the outside of the material and does not actually dye it.

Pilling. A tangled ball of fibers that appears on the surface of a fabric as a result of wear or continued friction or rubbing on the surface of the fabric. See [Anti-Pill Finish](#).

Pima Cotton. A term applied to extra-long staple cotton grown in the U.S., Peru, Israel and Australia. It can only be grown in select areas where the cotton is fully irrigated and benefits from a longer growing season for a softer, stronger cotton than standard cotton.

Pinpoint. Pinpoint has a more substantial weave than poplin; it uses a fine yarn and tighter weave to achieve its matte, crisp finish.

Pique Knit. A knitting method that creates a fine textured surface that appears similar to a waffle weave. Commonly used for polo shirts.

Pit Zips. Zippers placed in the armpits of a jacket to be used for quick ventilation.

Placket. The part of the shirt or jacket where the garment fastens or buttons together. Types of plackets include: reverse (generally a ladies styles in which the buttons are on the opposite side of a men's garment), open (in which there are no buttons or fasteners) and decorative (non-functioning).

Plaited Fabric. Fabrics made from two yarns with one held to the front and one held to the back, while the fabric is being knit thus allowing each side to showcase a difference appearance, content or hand.

Plated Knit Construction. Plating is a knitting technique that uses two different colors of yarn. There is a main color yarn and an alternative color yarn. The two yarns are knitted with the alternative yarn behind the main color yarn.

Pleat. A flat usually narrow fold made in a piece of cloth by pressing or sewing two parts of the cloth together.

Ply. Two or more yarns that have been twisted together.

Polyester. A strong, durable synthetic fabric with high strength and excellent resiliency. Low moisture absorbency allows the fabric to dry quickly.

Poly-Filled. A warm polyester lining found in the body or sleeves of outerwear.

Polypropylene. A very light, highly resistant, thermoplastic resin used to make coatings, packaging and fabrics.

Polyurethane Coating (PU Coating). A finish commonly used in winter jackets, rainwear and windwear to offer high performance water resistance, while maintaining the garment's breathability.

Ponte Knit. Ponte knits have the forgiveness of a knit, but the versatility of a woven. They're very stable with a nominal amount of stretching capability.

Popcorn Pique. Alternating rows of baby pique knit and a larger pique knit that resembles small circles knit closely together.

Poplin. A tightly woven, durable, medium-weight cotton or cotton blend made by using a rib variation of the plain weave which creates a slight ridge effect.

Port Pocket™ Access. A zipper entry pocket that allows the garment to be hooped and embroidered without impacting the inside lining of the garment.

Posi-UV® Pro (Sport-Tek). High-performance tees and polos that deliver a UPF rating of 50, include PosiCharge color-locking technology and wick moisture.

PosiPrint®. Patent pending printing technology that requires no pre-treatment for optimized direct to garment (DTG) printing.

PosiCharge® Electric Heather (Sport-Tek). With a strong all-over single-dye heather pattern, PosiCharge Electric Heather Fleece is the first high-performance fleece to incorporate Sport-Tek's popular bleed-resistant, color-locking PosiCharge technology. The PosiCharge Electric Heather pattern is also available in t-shirts and soft shell jackets.

PosiCharge Mesh®. Water-soluble dye process that breaks apart, or ionizes, in the dyeing solution to give off a positively charged colored ion. The cationic ions dye the polyester fibers by linking with the acid groups on the fibers - locking in the color. This results in a better, bleed-resistant, colorfastness.

PosiCharge® RacerMesh® (Sport-Tek). Ultra-fine 100% polyester flat back mesh that offers unparalleled breathability. PosiCharge technology locks in color and keeps logos crisp.

PosiCharge® Re-Compete (Sport-Tek). Recycled polyester and color-locking PosiCharge technology make these snag-resistant, odor-fighting, moisture-wicking styles outcompete other polos and tees.

Pre-Shrunk. Fabrics or garments that have received a pre-shrinking treatment.

Premiere Flex™ (Wink). Premiere Flex seamlessly combines an on-trend look, a trimmer, modern fit and a luxurious hand feel for scrubs that are truly fashion-forward. Built-in spandex ensures exceptionally flexible comfort.

Prepared-For-Dyeing (PFD) (Port & Co™). Designed for the direct-to-consumer and maker markets, these garments are prepared for dyeing. This means that no starches, sizing or finishes have been used on the fabric. These treatments, including optical whiteners, will interfere with the absorption and therefore the effectiveness of dye. Usually sewn with cotton thread and cut oversize to allow for shrinking.

Princess Seams. Short, stitched folds that taper to a point, typically used to shape women's garments.

Prism (BELLA+CANVAS). 99/1 Airlume combed and ring spun cotton/poly, 32 singles. A heather created with a darker polyester thread, the dimension is undeniable and brings a unique coloring, almost a vintage or garment-dyed look to the fabric.

PVC. A polyurethane coating that is added to make garments water resistant.

Quilting. A fabric construction in which a layer of down or fiberfill is placed between two layers of fabric, and then held in place by stitching or sealing in a consistent, all-over pattern.

Raglan Sleeves. An athletic cut sleeve set with a diagonal seam from the neck to the underarm. Offers more freedom of movement in comparison with set-in sleeves.

Rain Defender® (Carhartt). Carhartt's durable water repellent used in outerwear.

Rapid Dry™ Technology. Designed with a unique weave to wick away moisture from the body.

Rayon. A manufactured fiber composed of regenerated cellulose, derived from wood pulp, cotton linters or other vegetable matter, with a soft hand. Frequently used for shirts and pants.

Realtree® (Russell Outdoors). Realtree is a brand, it's the camo pattern leader. Each Realtree camo pattern is unique in design and arrangement. They are designed to disrupt the human form and blend into the environment.

Reject Dye. A dyeing process where most of the dye is rejected by the fabric. This technique leaves a small amount of dye which is unevenly distributed throughout the fabric.

Rental-Friendly. Industrial-strength fabrics designed to withstand the rigors of apparel rental programs.

Re-Fleece™ (District). These sustainable styles breathe new life into reclaimed materials with 100% recycled fabric. Affordable, comfortable and never re-dyed, it's a fleece that just feels good.

(Re)Purpose™ Del Dia Collection (Cotopaxi). All products in the (Re)Purpose Collection use repurposed fabric—durable, high-quality fabric left over from other companies' production runs.

Re-Tee® (District). The affordable Re-Tee is 100% recycled fabric and never re-dyed, made from reclaimed material that otherwise could end up in a landfill. Soft. Comfy. High-quality. Doing good for the planet feels as good on the inside as it does on the outside.

Reverse Coil Zipper. Unlike the basic coil zipper, a reverse coil zipper doesn't show its teeth from the front.

Reverse Placket. When the buttons on a placket are on the opposite side from a men's garment. Commonly done on women's styles.

Reverse Weave® (Champion). Refers to the cross-cut grain direction in most of Champion's fleece styles. By constructing garments with the grain of the fabric running horizontally, it reduces shrinkage in the length of the garment, creating a consistent fit over the life of the garment. Reverse Weave was patented in 1952.

Rib Knit. A textured knit that has the appearance of vertical lines. It is highly elastic and retains its shape. Commonly used for sleeve and neck bands.

Ring Spun. Yarn made by continuously twisting and thinning a rope of cotton fibers. The twisting makes the short hairs of cotton stand out, resulting in a stronger yarn with a significantly softer hand.

Rip-Stop Nylon. A lightweight, wind and water resistant plain weave fabric with large rib yarns that stop tears without adding excess weight. Often used in activewear.

Ruching. A French term which means to gather, ruffle or pleat the fabric.

Rugged Flex® (Carhartt). Carhartt's technology for ease of movement in their garments.

Rugged Professional™ (Carhartt). Carhartt's series of apparel and accessories engineered for people who need gear that resists wrinkles, repels stains and keeps its appearance while retaining its color wash-after-wash.

Running Stitch. A stitch that is spaced equally, with the underside stitching being half the length of the external side.

R-Flex (Richardson). R-Flex stretch in the sweatband and crown makes sizing simple, improving comfort and performance during long periods of wear.

R-Tek® Fleece. An exclusive lightweight microfleece with a soft, plush hand and an anti-pill finish to resist pilling. 100% polyester.

S-U

Sandwashed. A process in which the fabric is washed with very fine lava rocks or rubber/silicon balls, resulting in a softer fabric with a relaxed look and reduced shrinkage.

Scoop Neck. Characterized by a deep, rounded neckline that is significantly deeper than normal necklines. Typically found on women's shirts.

Sculpted Hem. A hem that is softly rounded for fashion detail and un-tucked wear.

Seam Sealing. The process of treating the stitch holes and seams of a garment to prevent leaking and to ensure full waterproof integrity.

Self-Fabric Collar. A collar that is constructed from the same material as the body of the garment.

Self-Fabric Sweatband. Refers to a panel of fabric at the front of a cap that is constructed from the same fabric as the crown of the cap.

Serge. An overcasting technique done on the cut edge of the fabric to prevent unraveling.

Series Performance (New Era). 100% polyester jersey with moisture-wicking and odor-fighting performance.

Set-In Sleeves. Most common style of sleeve, which is sewn into the shoulder seam.

Side-Seamed Tee. Side seam construction is the original, classic construction technique of t-shirt production. The tee is constructed with two large panels, for front and back sections. These panels are stitched together (forming side seams) to ultimately form the torso covering. Sleeves and collars are then attached to finish the shirt.

Side Vents. Slits found at the bottom of side seams, used for fashion detailing, as well as comfort and ease of movement.

Silk Touch™. Our silky soft 65/35 poly/cotton pique blend polo that is durable, wrinkle resistant and shrink resistant.

Silk Touch™ Performance. Our high-performance 100% polyester double knit polo that resists snags, wicks moisture and locks in color thanks to PosiCharge® technology.

Singles. A term used to indicate the diameter of a yarn. The smaller the number, the thicker the yarn.

Slash Pockets. A pocket in a garment to which access is provided by a vertical or diagonal slit in the outside of the garment.

Snag-Resistant/Snag-Proof. Anti-snap construction is achieved by using specialized yarns that are less likely to break and by incorporating specific knitting techniques that reinforce the fabric and reduce the risk of snagging, unraveling or pulling. The result is a more durable, resilient fabric that is less likely to snag or run—improving the quality and longevity of the finished garment.

Soft Shell. A fabrication that bonds an outer shell to a warm fleece or knit layer resulting in a breathable, flexible and comfortable jacket. All our soft shells have laminate for water resistance.

Soft Spun Cotton. Soft spun is an open-end yarn with more twist and a softer exterior to the yarn. The process generally helps lower torque and improve hand feel of the finished fabric.

Stain Release. A fabric treatment that helps a garment release stains in the wash.

Stain Resist. A fabric treatment that helps spills and stains easily roll off the garment.

Spacer Knit Fabric. This composite fabrication is composed of three layers: the face and back, typically a smooth jersey, sandwiches a central layer or “spacer” or looped yarns. This creates a cushioned fabric with an amazingly soft hand providing soft structure and light insulation.

Spandex. A manufactured elastometric fiber that can be repeatedly stretched over 500% without breaking and will still recover to its original length.

Sphere Dry (NIKE). A patented fabric with a raised bumpy surface that lines the inside of the shirt, which not only creates an appealing athletic-inspired texture, but also works like a funnel to draw perspiration from the inside out. The fabric's three-dimensional construction also creates air space around the body to reduce cling.

Sportmesh (Richardson). This tightly knitted stretch mesh gives a clean, technical appearance to their caps with improved fit characteristics for advanced performance and comfort during all-day wear.

Sport-Wick® Fleece. An anti-static fleece that provides moisture wicking by releasing moisture from the inner layers.

Stay-Dri Sweatband (Richardson). Moisture-wicking technology where you need it most—the sweatband—to keep you cool, dry and comfortable.

Stonewashed. A process in which the fabric or garment is heavily washed with lava rocks or rubber/silicon balls, resulting in a softer fabric with a distressed, weathered look and reduced shrinkage.

Storm Defender® (Carhartt). Carhartt's waterproof, breathable membrane used in outerwear.

Storm Flap. A piece of fabric that covers and protects an opening, usually a zipper, on an item of clothing. It is designed to add another barrier on more vulnerable parts of the clothing to protect against wind and moisture.

StormRepel® (Eddie Bauer). A durable water-repellent (DWR) finish that sheds moisture so it doesn't soak in.

Structured. A headwear term referring to a buckram lining used to control the slope of the cap.

Sublimation. A type of printing that uses sublimation ink, heat and pressure to transfer an image onto polyester fabric.

Sueded. A process in which fabric goes through a brushing process to raise the nap and give the garment a soft hand.

Sueded Cotton Blend (New Era). A retro-inspired blend of 60/40 sueded ring spun cotton/poly that has amazing softness and a loft hand feel.

SuperDux™ (Carhartt). A nylon duck cloth that is 35% lighter than traditional duck but has twice the abrasion resistance.

Super Heavyweight Fleece. A 12-ounce cross-grain heavyweight fleece. 80% ring spun combed cotton. 20% polyester.

SuperPro™ (Port Authority/CornerStone). Hardworking woven shirts that repel and release stains while resisting wrinkles.

SuperPro React™ (Port Authority). Stain-releasing, wrinkle-resistant, Easy Care polos and twill shirts that help keep you looking professional no matter what.

Taped Seams. A strip of fabric sewn to the seam of a garment to prevent distortion. In outerwear, taped seams aid in waterproofing.

Taslan. A durable and water repellent nylon fabric with a slightly shiny surface, used mainly in outerwear garments.

Teklon. A rugged, stronger Taslan nylon that is water repellent.

TENCEL™ Lyocell. Known for their natural comfort, TENCEL™ Lyocell fibers are versatile and can be combined with a wide range of textile fibers such as cotton, polyester, acrylic, wool, spandex and silk to enhance the aesthetics and functionality of fabrics. Unique physical properties of TENCEL™ Lyocell fibers lead to their great strength, efficient moisture absorption and gentleness to skin. TENCEL™ is a trademark of Lenzing AG.

Terry Velour. A pile weave cotton fabric with an uncut pile on one side and a cut pile on the reverse side. It has a soft, plush feel and is water absorbent. Commonly used for towels, robes and apparel.

ThermoBall™ (The North Face). The North Face offers a synthetic alternative to down. ThermoBall is a revolution in insulation technology. Unlike traditional, continuous-filament synthetic insulations, the small round synthetic fiber clusters closely mimic down clusters; trapping heat within small air pockets to retain warmth. Independent testing has shown that ThermoBall technology can offer the low weight, loft, warmth and compressibility of down with the wet-weather insulating performance of synthetics with the warmth equivalent of 600 fill down.

Therma-FIT (NIKE). Nike Therma-FIT is a double-brushed microfiber fleece that retains energy and resists heat loss. Nike Therma-FIT provides maximum insulation from cold and wind with minimal weight and bulk. It is ideal for any cold weather activities that require insulation.

Thumbholes. Openings at the cuffs so they cover the back of the hands and the palms for warmth and enhanced fit.

Tie-Dye. A method of producing patterns by tying parts of the fabric to shield it from the dye.

Triblend (BELLA+CANVAS). 50/25/25 poly/Airlume combed and ring spun cotton/rayon, 40 singles. You get the comfort from the cotton, durability from the polyester and the luxurious drape from the rayon.

Tri-Blend Performance (New Era). A 50/38/12 poly/ring spun combed cotton/rayon blend that wicks moisture and has unbeatable softness.

Tricot. A knit fabric of various natural or synthetic fibers like wool, silk, nylon or polyester having fine vertical ribs on the face and horizontal ribs on the back.

Tricot Lining. A very lightweight nylon lining often used in shorts.

Triple-Needle Stitched. A finish commonly used on a sleeve or bottom hem that uses three needles to create parallel rows of visible stitching, giving the garment a cleaner, more finished look, as well as adding durability.

Tubular Collar. A collar knit in a tube form, so it has no seams.

Tuck-In Tails. A shirt constructed so the back hem is longer than the front. This aids in keeping the shirt tucked-in during normal activities.

Tuck Stitch. Refers to the look of the knit where some stitches are actually under the other stitches. Gives the shirt a waffle weave texture and look.

Tulip Hem. Two overlapping pieces of fabric at the hem of a garment which creates the look of a tulip petal.

Twill. A fabric characterized by micro diagonal ribs producing a soft, smooth finish. Commonly used for casual woven shirts.

Twill Tape. Attached to the inside of the placket for a fashion effect.

Two Ply. A yarn in which its thickness is made up of two layers or strands, adding durability and weight.

Underarm Grommets. Small holes in the armpit area to allow breathability and air circulation.

Unstructured. A headwear term referring to a low profile cap with a naturally low sloping crown. No buckram has been added to the crown for structure.

UV-Protective Fabric (UPF). A term used to refer to a fabric that resists the ability of ultraviolet rays to penetrate the fabric. Protects the fabric from fading and the wearer's skin from UV rays.

V-Z

V Patch. A section of material in a V shape that is sewn onto a garment directly under the collar, providing support against stretching the neck opening. Also a style detail.

Vents. An opening in a garment which assists breathability and can aid in ease of decoration, allowing the garment to be hooped and embroidered with no visibility on the inside lining of the garment. Some vents are tacked down and are for fashion purposes only.

Vintage Slub (BELLA+CANVAS). 50/37.5/12.5 poly/Airlume combed and ring spun cotton/rayon, 32 singles. It's knit in a certain way to give a really tonal texture. Since this fabric boasts an uneven surface and slightly sheer appearance, it creates really cool printed designs that give off that worn and vintage-vibe.

Waffle Knit. A square pattern knit into a garment.

Waffle Weave. A square pattern woven into a garment.

Warp Knit. A method of creating fabric where multiple yarns are run parallel to the length of the machine, with each yarn forming a row of loops that interlock vertically. This process uses a separate yarn for each needle and creates a strong, stable fabric that is resistant to unraveling.

Washed Duck (Carhartt). This fabric feels exactly like it sounds—Carhartt took their durable, classic duck and washed it for a broken-in look and feel. It breaks in faster than duck, and looks newer, longer.

Waterproof. Keeps outside moisture from penetrating the fabric. The waterproof rating is typically expressed in millimeters (1,000mm to 10,000mm) based on water pressure tolerance over a 24-hour period. Generally, the higher the rating, the higher the waterproof protection.

Water Repellant. A fabric's ability to cause moisture to bead up and roll off a garment.

Water Resistant. Keeps the wearer dry in moderate wind and rain. Very breathable, allowing air to pass through while keeping moisture at bay. In extreme or extended conditions, waterproofing is a better solution.

WeatherEdge® (Eddie Bauer). Reliable, breathable waterproof protection that is ideal for general uses and moderate activity. WeatherEdge® Plus laminate offers serious weather protection for those who demand high performance in a wide range of activities.

Weathered Twill. A special dye process resulting in a softer fabric with a weathered appearance.

Welded Pockets. The technique by which seams are affixed to one another without stitching.

Welt Collar/Cuffs. A single ply fabric with a finished edge that is used for collars and cuffs on sport shirts and short sleeve garments. Also known as flat knit.

Wind Fighter® (Carhartt). Carhartt's technology that tames wind. Used in outerwear.

WindWall™ (The North Face). WindWall fabrics greatly reduce the effects of wind chill while providing flexibility and breathability to stay comfortable without overheating.

Wind Shirt. A typically water and wind resistant outerwear piece. Popular for golfers.

Wind Resistant. The ability of a fabric to act against or oppose the penetration of wind or air, without being completely windproof.

Wickability. The ability of a fiber or a fabric to disperse moisture and allow it to pass through to the surface, so that evaporation can take place.

Wicking. Dispersing or spreading of moisture or liquid through a given area by capillary action in a fabric.

Women's Fitted (District). A fit that hugs the body at the bust, waist, hip and sleeve. Found in the Very Important Tee, Perfect Tri, and The Concert Tee. Size up for a less fitted look.

Wood Tone Buttons. Buttons that simulate a wood appearance.

Wool. Usually associated with fiber or fabric made from the fleece of sheep or lamb. The term wool can also be applied to all animal hair fibers, including the hair of the Cashmere or Angora goat or the specialty hair fibers of the camel, alpaca, llama or vicuna.

WorkFlex™ (Wink). WorkFlex offers a wide range of scrub styles, colors and sizes. With built-in mechanical stretch and a soft hand feel, these scrubs have a classic fit to keep you comfortable, yet stylish.

Woven. Fabric constructed by the interlacing of two or more sets of yarns at right angles to each other. Woven fabrics are commonly used for dress shirts and camp shirts.

Yarn Dyed. A term used when yarn is dyed prior to the weaving or knitting of the garment.

Yoke. A part of the garment fitted closely to the shoulders. Typically seen on the back as on a dress shirt, but may also be on the front, as on a Western style shirt.

Yupoong. Company that engineered the original Flexfit® hat.

Zipper Garage. A fold of soft fabric around the end of the zipper that helps prevent a scratched or irritated chin. Also known as a chin guard.